

	Type	Hits	Search Text	DBs
329	BRS	107833 2	@pd>20030130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
330	IS&R	1232	((523/160) or (523/161)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
331	IS&R	1542	((524/824) or (524/833) or (524/458) or (524/460)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
332	IS&R	2356	((526/72) or (526/318.4) or (526/328.5) or (526/329.2) or (526/329.7)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
333	BRS	110	@pd>20030130 and (((523/160) or (523/161)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
334	BRS	48	@pd>20030130 and (((524/824) or (524/833) or (524/458) or (524/460)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
335	BRS	104	@pd>20030130 and (((526/72) or (526/318.4) or (526/328.5) or (526/329.2) or (526/329.7)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
336	BRS	111768	glass adj transition near5 temperature or tg or "t.sub.g"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
337	BRS	448826	particle near5 (size or diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
338	BRS	69	((@pd>20030130 and (((523/160) or (523/161)).CCLS.)) (@pd>20030130 and (((524/824) or (524/833) or (524/458) or (524/460)).CCLS.)) (@pd>20030130 and (((526/72) or (526/318.4) or (526/328.5) or (526/329.2) or (526/329.7)).CCLS.))) and (glass adj transition near5 temperature or tg or "t.sub.g") and (particle near5 (size or diameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
339	BRS	7	((@pd>20030130 and (((523/160) or (523/161)).CCLS.)) (@pd>20030130 and (((524/824) or (524/833) or (524/458) or (524/460)).CCLS.)) (@pd>20030130 and (((526/72) or (526/318.4) or (526/328.5) or (526/329.2) or (526/329.7)).CCLS.))) and binder same (glass adj transition near5 temperature or tg or "t.sub.g") and binder same (particle near5 (size or diameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
340	BRS	41	((@pd>20030130 and (((523/160) or (523/161)).CCLS.)) (@pd>20030130 and (((524/824) or (524/833) or (524/458) or (524/460)).CCLS.)) (@pd>20030130 and (((526/72) or (526/318.4) or (526/328.5) or (526/329.2) or (526/329.7)).CCLS.))) and (glass adj transition near5 temperature or tg or "t.sub.g") and (particle near5 (size or diameter)) near10 (polymer or resin or binder or binding adj agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
341	BRS	264	@pd>20030130 and binder same (glass adj transition near5 temperature or tg or "t.sub.g") and binder same (particle near5 (size or diameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
342	BRS	34	(@pd>20030130 and binder same (glass adj transition near5 temperature or tg or "t.sub.g") and binder same (particle near5 (size or diameter))) and (particle near5 (size or diameter)) near5 (maximum or minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
343	BRS	152	(@pd>20030130 and binder same (glass adj transition near5 temperature or tg or "t.sub.g") and binder same (particle near5 (size or diameter))) and size near5 distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Typ	Hits	Search Text	DBs
344	BRS	518	@pd>20030130 and binder and (glass adj transition near5 temperature or tg or "t.sub.g") and (particle near5 (size or diameter)) near10 (polymer or resin or binder or binding adj agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
345	BRS	334	@pd>20030130 and ink and (glass adj transition near5 temperature or tg or "t.sub.g") and (particle near5 (size or diameter)) near10 (polymer or resin or binder or binding adj agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
346	BRS	183	@pd>20030130 and ink and (glass adj transition near5 temperature or tg or "t.sub.g") same (particle near5 (size or diameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB